

PEARL YACHT®

Rayon Embroidery Thread Colour Card



パールヨット® レーヨン ミシンししゅう糸

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
N-KEN 04004 Nissenken
有害物質検査済
www.oeko-tex.com/standard100

レーヨンししゅう糸に限る

色番見出表 (Numerical Index of Colours)

レーヨンししゅう糸 (Rayon Embroidery Thread)

色番	配列	色番	配列	色番	配列	色番	配列	色番	配列	色番	配列
1001	1	1073	8	1136	15	1202	25	1268	9	1340	3
1002	1	1074	8	1137	2	1203	25	1269	9	1341	3
1003	1	1075	8	1138	2	1204	25	1270	2	1342	2
1004	1	1076	9	1139	3	1205	25	1271	2	1343	3
1005	1	1077	9	1140	16	1206	25	1272	2	1345	2
1006	1	1078	9	1141	23	1207	25	1273	3	1346	2
1007	2	1079	9	1142	23	1208	25	1274	3	1347	2
1008	4	1080	10	1145	24	1209	25	1275	3	1348	2
1009	2	1081	7	1146	22	1210	25	1276	13	1349	2
1010	4	1082	8	1147	21	1211	26	1277	13	1350	3
1011	4	1083	8	1148	11	1212	26	1278	13	1351	3
1012	3	1084	8	1149	11	1213	26	1279	5	1352	3
1013	4	1085	7	1150	11	1214	26	1280	19	●1353	16
1014	3	1086	7	1151	22	1215	26	1281	22	●1354	16
1015	4	1087	7	1152	22	1216	26	1282	10	●1355	16
1016	4	1088	7	1153	22	1217	25	1283	26	●1357	16
1017	3	1089	7	1154	22	1218	25	1284	25	●1358	2
1018	3	1090	7	1155	22	1219	25	1285	26	●1359	3
1019	4	1091	6	1156	21	1220	25	1286	26	1401	9
●1021	1	1092	6	1157	20	1221	26	1287	26	1402	9
1028	3	1093	6	1158	20	1222	15	1288	25	1403	9
1029	3	1094	6	1159	18	1223	15	1289	25	1404	8
1030	3	1095	6	1160	20	1224	15	1290	25	1405	9
1031	10	1096	18	1161	20	1228	12	1291	21	1406	9
1033	12	1097	19	1162	20	1229	23	1292	26	1407	7
1034	11	1098	5	1163	20	1230	12	1293	26	1408	7
●1035	11	1099	5	1164	20	1231	12	1294	26	1409	7
●1036	11	1100	5	1165	20	1232	12	1295	26	1410	21
1037	13	1101	5	1166	20	1233	12	1296	26	1411	8
1038	12	1102	5	1167	18	1234	2	1297	26	1412	8
1039	12	1103	5	1168	19	1235	2	1301	1	1413	9
1040	17	1104	5	1169	19	1236	8	1302	1	1414	9
1041	10	1105	6	1170	18	1237	7	1303	1	1415	9
1042	13	1106	6	1171	18	1238	10	1304	2	1416	9
1043	13	1107	18	1172	4	1239	18	1305	2	1417	9
1044	13	1108	18	1173	3	1240	18	1306	2	1418	8
1046	11	1109	18	1174	3	1241	2	1307	1	1419	10
●1047	12	1110	18	1175	3	1242	2	1308	1	1420	10
1048	10	1111	5	1176	18	1243	2	1309	1	1421	10
1049	10	1112	5	1177	4	●1244	12	●1310	1	1422	10
1050	10	1113	5	1178	4	●1245	12	1313	4	1423	10
1051	8	1114	5	1179	2	●1246	12	1314	4	1424	10
1052	8	1115	7	1180	2	1247	11	1315	4	1425	7
1053	8	1116	7	1181	23	1248	14	1316	4	1426	9
1054	8	1117	7	1182	14	1249	5	1317	4	1427	9
1055	8	1118	7	1183	11	1250	4	1318	4	1428	7
1056	8	1119	7	1184	11	1251	16	1319	4	1429	9
1057	7	1120	7	1185	10	1252	16	1320	3	1430	9
1058	8	1121	16	1187	21	1253	16	1322	3	1431	10
1059	8	1122	16	●1188	15	1254	16	1326	2	1432	10
1060	8	1123	16	1189	12	1255	16	1327	2	1433	10
1061	8	1124	15	1190	24	1256	8	1328	2	1434	10
1062	10	1125	15	1191	18	1257	8	1329	2	1435	10
1063	9	1126	15	1192	18	1258	8	1330	5	1437	8
1064	9	1127	15	1193	4	1259	8	1331	5	1438	9
1065	7	1128	15	1194	3	1260	8	1332	5	1439	9
1066	7	1129	1	1195	18	1261	4	1333	5	1440	9
1067	7	1130	16	1196	18	1262	4	1334	4	1441	10
1068	7	1131	16	△1197	24	1263	4	1335	2	1442	11
1069	10	1132	16	1198	24	1264	4	1336	2	1443	8
1070	8	1133	16	1199	26	1265	4	1337	3	1444	8
1071	7	●1134	16			1266	9	1338	3	1445	9
1072	7	●1135	16	1201	25	1267	9	1339	3	1446	9

色番見出表 (Numerical Index of Colours)

レーヨンししゅう糸 (Rayon Embroidery Thread)

色番	配列	色番	配列	色番	配列	色番	配列	色番	配列	色番	配列
1457	9	1710	5	1903	22	2205	19	2511	24	2819	24
1501	12	1711	5	1904	22	2206	19	2512	24	2820	24
1502	12	1712	7	1905	22	2207	18	2513	24	2821	14
1503	11	1713	7	1906	21	2208	18	2514	24	2822	14
1504	11	1714	7	1907	20	2209	18	2515	24	2823	14
●1505	12	1715	7	1908	20	2210	18	2516	14	2824	14
1506	24	1716	5	1909	20	2211	18	2517	14	2825	14
1507	14	1801	15	1910	20	2212	19	2518	14	2826	14
●1508	11	1802	15	1911	21	2213	19	2519	14	2827	14
●1509	11	1803	15	1912	21	2214	21	2520	13	2828	14
1510	10	1804	15	1913	21	2215	21	2521	12	2900	12
1511	11	1805	16	1914	21	2216	21	2600	3	2901	12
1512	11	1806	16	1943	22	2217	21	2601	3	2902	12
1513	11	1807	16	1944	22	2218	20	2602	3	2903	12
1514	11	1808	16	1954	18	2219	19	2603	16	2904	12
1515	13	1809	16	1986	22	2220	19	2604	16	2905	12
1516	23	1810	16	2016	5	●2227	24	2605	16	2906	12
1517	12	1811	17	2017	5	2300	21	2606	15	2907	12
1518	12	1812	15	2018	5	2301	23	2607	15	2908	12
1519	13	1813	17	2019	5	2302	21	2608	15	2909	12
1520	13	1814	13	2020	5	2303	21	2609	15	2910	13
1521	13	1815	14	2021	6	2304	17	2610	15	2911	13
1522	13	1816	14	2022	6	2305	19	2611	15	2912	13
1523	13	1817	14	2023	6	2306	17	2612	16	2913	10
1524	13	1818	14	2024	6	2307	19	2613	15	2914	10
1525	13	1819	14	2025	6	2308	17	2614	15	2915	10
1526	11	1820	14	2026	6	2309	17	2615	15	2916	10
1527	11	1821	14	2027	6	2310	21	2616	15	2917	10
1528	11	1822	14	2028	6	2311	21	2617	15	2918	11
1529	23	1823	16	2029	6	2312	21	2618	15	2919	11
1530	11	1824	13	2030	6	2314	23	2619	15	2920	11
1531	11	1851	17	2031	6	2315	23	2700	17	2923	23
1532	10	1852	17	2032	6	2400	21	2701	17	2943	23
1533	13	1853	20	2033	6	2401	21	2702	17	2944	24
1534	13	1855	18	2034	6	2402	21	2703	17	2954	20
1535	13	1856	19	2035	6	2403	22	2704	17	2986	19
●1536	11	1857	19	2100	17	2404	22	2705	17	●3917	24
●1537	11	1858	19	2101	17	2405	24	2706	17	3918	24
1538	12	1859	18	2102	17	2406	23	2707	17	3923	22
1601	23	1860	18	2103	20	2407	21	2708	17	●9020	1
1602	23	1861	6	2104	20	2408	22	2709	17	●9022	1
1603	23	1862	18	2105	21	2409	22	2710	17	●9023	1
1604	23	1863	18	2106	19	2410	22	2711	17	●9024	1
1605	23	1864	6	2107	20	2411	22	2712	17	●9025	1
1606	23	1865	5	2108	20	2412	22	2713	17	●9026	1
1607	23	1866	5	2109	20	2413	22	2800	13	●9225	1
1608	23	1867	4	2110	17	2414	23	2801	13	●9226	1
1609	24	1868	4	2111	17	2415	21	2802	13	●9227	1
1610	23	1869	4	2112	18	2416	21	2803	13	●9300	1
1611	23	1870	19	2113	20	2417	21	2804	13	●9311	1
1612	23	1871	19	2114	20	2418	22	2805	13	●9323	1
1613	22	1872	19	2115	20	2419	22	2806	15	●9324	4
1614	22	1873	19	2116	20	2500	23	2807	15	●9325	1
1615	22	1874	19	2117	20	2501	23	2809	14	●9344	1
1701	6	1875	19	2118	18	2502	23	2810	14	★9801	26
1702	6	1876	19	2119	18	2503	23	2811	14	★9802	26
1703	6	1877	21	2120	4	2504	23	2812	14	★9803	26
1704	6	1878	22	2121	19	2505	23	2813	14	★9804	26
1705	6	1879	20	2122	19	2506	24	2814	14	★9805	26
1706	5	1880	20	2123	19	2507	24	2815	14	★9806	26
1707	5	1881	20	2124	19	2508	24	2816	17	★9901	26
1708	5	1901	22	2203	19	2509	24	2817	17	★9903	26
1709	6	1902	22	2204	19	2510	24	2818	24	●9922	1

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

1	2	3	4
1001	1241	2600	1008
1002	1242	2601	1316
1003	1243	2602	1013
1004	1326	1273	1317
1005	1234	1350	1016
1129	1138	1351	1318
1006	1327	1274	1319
● 9323	1235	1275	1010
● 9344	1328	1028	1011
● 9024	1329	1029	1177
1301	1007	1030	1178
1302	1137	1339	1193
1303	1304	1340	1015
1307	1306	1341	1261
1308	1305	1139	1262
1309	1009	1337	1263
● 9020	1271	1352	1264
● 9225	1272	1338	1265
● 9325	1342	1012	2120
● 9022	1179	1014	1867
● 1021	1180	1343	1868
● 1310	1270	1194	1869
● 9300	1345	1017	1250
● 9226	1346	1018	1172
● 9227	1347	1320	1334
● 9311	1348	1322	1313
● 9023	1349	1173	1314
● 9026	1335	1174	1315
● 9025	1336	1175	1019
● 9922	● 1358	● 1359	● 9324

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ボカシを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

5	6	7	8
1716	2021	1712	1056
1101	1091	1713	1418
1102	1092	1118	1236
1103	1093	1119	1070
1249	1094	1407	1411
1104	1095	1408	1412
1706	1701	1409	1256
1707	1105	1115	1257
1111	1702	1116	1258
1112	1106	1117	1259
1710	1703	1120	1260
1113	1704	1714	1437
1711	1705	1715	1083
1114	1709	1071	1073
1708	1861	1085	1074
1098	1864	1067	1075
1099	2022	1088	1058
1100	2023	1065	1059
1330	2024	1066	1060
1865	2025	1425	1443
1866	2026	1089	1444
1279	2027	1090	1051
1331	2028	1072	1082
1332	2029	1068	1052
1333	2030	1237	1053
2016	2031	1086	1054
2017	2032	1087	1055
2018	2033	1428	1061
2019	2034	1081	1084
2020	2035	1057	1404

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ボカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

9	10	11	12
1405	1069	2918	● 1244
1406	1031	2919	● 1245
1077	1431	2920	● 1246
1446	1432	1531	● 1505
1401	1433	1442	● 1047
1402	1049	1148	2900
1457	1282	1530	2901
1403	1434	1149	2902
1429	1048	1150	2903
1430	1050	1503	2904
1445	1062	1504	2905
1266	1435	1183	2906
1267	1185	1184	2907
1268	1419	1034	2908
1269	1420	1046	2909
1439	1421	1512	1228
1063	1422	1511	1230
1064	1423	1526	1231
1440	1424	1527	1232
1079	1238	1528	1233
1413	1080	1513	1501
1414	1532	1514	1502
1438	1041	1247	2521
1076	1510	● 1035	1038
1415	2913	● 1036	1039
1416	2914	● 1536	1189
1078	2915	● 1508	1538
1417	1441	● 1537	1033
1426	2916	● 1509	1517
1427	2917		1518

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ポカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

13

1276	
1277	
1278	
1519	
1520	
1521	
1522	
1533	
1534	
1535	
1042	
1043	
1044	
2520	
1523	
1524	
1515	
1037	
1525	
2910	
2911	
2912	
2801	
2802	
2803	
2804	
2805	
1824	
2800	
1814	

14

1815	
1507	
1816	
1817	
1818	
2516	
1182	
2517	
2518	
2519	
1819	
1820	
1821	
1822	
2812	
2824	
2825	
2826	
2827	
2828	
2809	
2811	
2813	
2814	
2815	
2821	
2822	
2823	
2810	
1248	

15

1804	
1801	
1124	
1125	
1126	
1127	
1802	
1803	
1128	
2613	
2614	
2615	
2616	
1222	
1223	
1224	
2617	
2618	
2619	
2806	
2807	
2606	
2607	
2608	
2609	
2610	
2611	
1136	
1812	
●1188	

16

2612	
1805	
1806	
1807	
1808	
1251	
1252	
1253	
1254	
1255	
1823	
1140	
1121	
1122	
1123	
●1353	
1133	
1809	
1810	
1130	
2603	
2604	
2605	
1131	
1132	
●1354	
●1134	
●1135	
●1355	
●1357	

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ポカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

パールヨットレーヨン見本帳 No.106

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

17

1813	
1811	
2700	
2701	
2702	
2703	
2704	
2705	
2706	
2707	
2708	
2709	
2710	
2816	
2817	
2711	
2712	
2713	
1040	
2304	
2306	
2308	
2309	
2100	
2101	
2102	
1851	
1852	
2110	
2111	

18

2112	
1108	
1239	
1109	
1110	
1192	
1859	
1862	
1195	
1196	
1240	
1860	
1863	
1159	
2207	
2208	
2209	
2210	
2211	
1176	
1096	
2119	
1171	
1167	
1954	
1170	
1855	
2118	
1191	
1107	

19

1097	
1280	
1857	
1858	
1856	
2305	
2307	
2986	
2212	
2213	
1870	
1871	
1872	
1873	
1874	
1875	
1876	
1168	
1169	
2121	
2122	
2123	
2124	
2219	
2220	
2203	
2204	
2205	
2206	
2106	

20

2107	
2108	
2109	
1166	
2103	
2104	
2113	
2114	
2115	
2954	
2116	
2117	
1165	
1853	
1157	
1158	
1160	
1881	
1880	
1162	
1164	
1163	
1879	
1161	
1907	
1908	
1909	
1910	
2218	

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ポカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

21	22	23	24
1877 	1878 	2923 	1609 
2214 	1151 	2406 	2944 
2215 	1152 	1601 	1145 
2216 	1153 	1602 	1506 
2217 	1154 	1603 	2514 
2105 	1155 	1604 	2510 
1291 	2403 	1605 	2515 
1156 	2404 	1606 	2511 
2300 	1613 	2301 	2512 
2302 	1614 	2414 	2513 
2310 	1615 	2314 	2405 
2311 	2418 	2315 	2506 
2312 	2419 	1141 	2507 
2407 	1901 	1529 	2508 
2303 	1902 	2501 	2509 
1147 	1903 	1607 	2818 
1187 	1146 	1608 	2819 
1911 	1904 	1181 	2820 
1912 	1905 	2943 	1190 
1913 	2408 	1610 	3918 
1914 	2409 	1611 	1198 
2400 	2410 	1612 	△ 1197 
2401 	2411 	2500 	● 3917 
2402 	2412 	1516 	● 2227 
1906 	2413 	1229 	
2415 	1986 	2502 	
2416 	1281 	2503 	
2417 	3923 	2504 	
1410 	1943 	2505 	
	1944 	1142 	

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ポカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

25

1201	
1202	
1288	
1204	
1203	
1289	
1205	
1284	
1220	
1290	
1217	
1218	
1219	
1206	
1207	
1208	
1209	
1210	

26

1211	
1212	
1213	
1215	
1214	
1216	
1283	
1199	
1292	
1296	
1295	
1293	
1294	
1297	
1221	
1285	
1286	
1287	

★9801	
★9802	
★9803	
★9901	
★9804	
★9805	
★9903	
★9806	

色展開と表示について

[50d/2] 9022、1038、1061、1113、1141、1159、1189、1190、1197、1198

[75d/2] ★印を除いた全色

[120d/2] 全色

[200d/2] ポカンを除いた 1000 番台 ※例外色 1943、1944、1986

●印、★印… 反応染料、△… 200d/2、NB120d/2 のみ反応染料

パールヨット印レーヨンミシンししゅう糸をご使用、ご指定を賜り誠に有難うございます。

今後共引き続きお引き立ての程、宜しくお願い申し上げます。

本色見本帳はパールヨット印レーヨンミシンししゅう糸の次の種類に適用されます：50d/2，75d/2，120d/2，200d/2，NB 120d/2（薬品処理つや消しレーヨン）。色番号は全てに共通しています。但し、糸の太さや撚り数の違いにより色差を感じるかもしれません。同じ色番号で違う太さの糸を一つの刺繍でご使用される場合には、色の適否を判断するために不要の生地にて試し縫いされることをお勧めします。

特徴

パールヨット印レーヨンミシンししゅう糸は洗濯、日光、汗、薬品、酸化ガス等に対し総合的に堅牢度及び安定性に優れているスレン染料を中心に染色されています。使用されている染料にはそれぞれ個性がありますので下記の点にご注意願います。

御利用上の注意

■洗濯

刺繍品の洗濯には水またはぬるま湯を十分に使用し、洗剤は中性洗剤をご使用ください。洗濯後は素早く脱水乾燥させてください。

塩素漂白剤は色落ちする恐れがありますので、ご使用にならないでください。特に見本帳の(●)印、(★)印及び(△)印で表示されている色番は、少量の使用でも色落ちする恐れがあります。また、青、紺系統の色は変色する恐れがありますのでご注意ください。

刺繍品を濡れたまま、水につけたまま或いは湿っている状態でのご注意：

1. 折り畳んだり、重ねたまま放置しない。
2. 強く絞ったり、激しく擦ったりしない。

シミ抜剤・スプレー糊・ミシン油などの溶剤が刺繍部分に付着しますと、色落ちの要因となりますのでご注意ください。

刺繍品をドライクリーニングする場合には石油系溶剤をご使用ください。

■アイロン掛け

刺繍品へのアイロン掛け・ヒートプレスはお避けください。外観を損なうことがあります。やむを得ずアイロンをご使用になられる場合は、裏側から当て布を使用して、スチーム機能や浮かしアイロンを行うなどして、圧力をかけたり、擦ったりしないでください。

■同一ロットの使用

染色のロット差、ロット違い（いわゆる釜違い）による色差には最も注意しておりますが、完全に色再現することが難しいため、一つの刺繍品完成には、必ず同一ロットの刺繍糸をご使用ください。同一ロット品が入手困難な場合には実際に刺繍する前に縫いテストをして色差をご確認の上、ご使用ください。

■保管

高温多湿を避け、直射日光の当たらない通気性の良い暗所に保管してください。また、ご購入時に使用されていた包装資材を使いラッピングして保管されることをお勧めします。

■お手持ちの刺繍糸のご使用について

本見本帳の色番号の横に(●)印、(★)印及び(△)印が付されている色は、パールヨット印レーヨンミシンししゅう糸が通常使用の染料では発色しない為、反応染料を使用しています。この染料はごく稀にですが、環境—NO_x（窒素酸化物）やSO_x（硫黄酸化物）、温度や湿度、人の汗と紫外線が結びつき複合的に作用すること（汗耐光）などにより酸加水分解を起こし色泣きや変退色の要因になることがあります。上記、印が付されている色番号の糸についてはよくご確認の上、ご使用ください。

(△)印は200d/2 及び NB 120d/2 が該当しています

(★)印は120d/2が該当しています

その他注意事項

■ # 2227及び9000番台(但し、#9801, 9802, 9803, 9804, 9805, 9806, 9901, 9903は除く)は染料の変更等の理由により従来の色相と異なる1000番台の代替色です。#9922を除く色は下3桁の番号が旧来の番号と同じです。 例): #1022 → #9022)

■ 50d/2の在庫色は下記の10色です。

#9022, 1038, 1061, 1113, 1141, 1159, 1189, 1190, 1197, 1198

■ 200d/2 については、ボカシ全色を除いた1000番台の色展開となります。

■ NB 120d/2 については、下記例外及びボカシ全色を除いた1000番台の色展開となります。

例外色): #1943, 1944, 1986

■ パールヨット印ミシンししゅう糸及び特殊糸の同系統色には便宜上共通の色番号が付けられていますが、同じカラー番号でも使用素材や染料等の相違から色差が感じられます。ご注文の際には必ず当該品の専用色見本帳をご参照ください。

■ 演色性

色には同じ色であっても違う光源で色を見ると、印象の違う色に見える性質(演色性)があります。色目をご確認される際には、同条件の光源下(環境)で行うことをお勧めします。

■ パールヨット印ミシンししゅう糸は高い品質基準のもとに生産されています。しかしながら、糸の使われ方はその用途・洗濯・プレス掛け・クリーニング等の条件により異なりますので、事前にテストを行い当該糸の染色堅牢度が企画条件を満たすことをご確認の上ご使用くださいます様、お願い致します。

■ 本製品を別の紙管に巻返し(巻取り)ご使用になれますと、糸切れ等のトラブルを引き起こす要因となる場合がございます。

■ 生産環境の変化や法的規制に伴い、永年使用の原材料や染料を変更せざるを得ない状況から、従来の色相を保持できなくなる場合があります。ご注文の際は最新版色見本帳をご参照くださいます様、お願い致します。

使用染料の特徴

バット染料 (スレン染料)

水に不溶性であるが、アルカリ中で還元すると水溶性となりセルロース繊維(レーヨン等)に染着される。染色後空気などで酸化すると元の形に戻り、不溶性となって発色する。各種堅牢度に優れている。

反応染料

繊維の分子と染料の分子が反応して科学的に結合するような染料。色が鮮明で洗濯堅牢度に優れている。(●印、★印及び△印表示)

蛍光染料

色を鮮やかにする染料です。後染め予定の製品へのご使用はお避けください。
(使用色番号: #1198, 1235, 1241, 1242, 1243, 1328, 1329, 3918)

ご使用上の問題またはお尋ねの件がございましたらパールヨット(株)にお問い合わせください。

We thank you for choosing and using Pearl Yacht Brand Rayon Embroidery Thread and look forward to your continuous support.

This colour card applies to the following types of Pearl Yacht Brand Rayon Embroidery Thread: 50d/2, 75d/2, 120d/2, 200d/2, & NB120d/2 (chemically treated matte colour). The colour numbers are common to all. However, you may feel colour difference due to differences in the thickness and/or the number of twists of the yarn. When using different types of thread thicknesses with the same colour number in one embroidery piece, we recommend you to try stitching with unnecessary fabric in advance to determine the suitability of the colour.

Features

Pearl Yacht Brand Rayon Embroidery Thread is dyed mainly with vat dyes that have exceptional colour fastness to washing, sunlight, perspiration, chemicals and acid gases. Each type of the used dyestuffs, however, has its own characteristic and we advise the following instructions and notes to be read carefully.

Care Instructions

■ Washing:

Embroidered garments should be washed with neutral detergents in cold or lukewarm water. After washing, please dry the embroidery immediately.

Chlorine bleach cannot be recommended for washing. Do not use it especially on those colours as marked with (●), (★) and (△) in this colour card. Also note that blue, navy colors might have a risk of discoloration.

Note when the embroidery is wet, soaked or in water:

1. Do not leave folded or stacked.
2. Do not squeeze or rub it hard.

Please note that adhered solvent contained in stain remover, spray glue, sewing machine oil, etc. may cause discoloration to the embroidery part.

You should use petroleum-based solvents when dry-cleaning embroidery.

■ Ironing:

Avoid ironing and heat pressing on embroidery products. The appearance may be damaged. If you cannot avoid to use an iron, use it with a dampening cloth from the back side, using a steam function or floating iron, do not apply pressure or rub it.

■ Using the same lot:

We always pay close attention to color differences due to dyeing lot differences and lot differences (so-called pot differences), but, unfortunately, we are not perfect. Be sure to use the same embroidery thread with one identical lot to complete one embroidery product. If it is difficult to obtain the same lot, please check the color difference by performing a sewing test before embroidering.

■ Storage:

Avoid high temperatures and humidity, and store in a well-ventilated dark place away from direct sunlight. We also recommend that you wrap and store with the packaging materials that were wrapped at the time of purchase.

■ Using your own embroidery thread:

The colors marked with (●), (★), and (△) next to the color number in this colour card are dyed with reactive dyes because these cannot be processed with our standard vat dyes. There is a slight possibility that the reactive dye might be a cause of discolor or fade when certain conditions are combined, such as Environment·NOx (nitrogen oxide), SOx (sulfur oxide), temperature and humidity, human sweat and ultraviolet rays to act in combination (sweat-light resistance), occurring acid hydrolysis as a result. When you use the thread with the color numbers marked as indicated above, please handle it carefully.

(△) indicates 200d / 2 and NB120d / 2

(★) mark corresponds to 120d / 2

Other Instructions

■ #2227 and 9000 numbers (except # 9801, 9802, 9803, 9804, 9805, 9806, 9901 and 9903) are substitutional colours for the previous 1000 numbers which are different from the conventional hue due to dye changes. For the colors except # 9922, the last three digits are the same as the old number. e.g. # 1022 → # 9022

■ The available colors for 50d/2 are the following 10 colors:
#9022, 1038, 1061, 1113, 1141, 1159, 1189, 1190, 1197 and 1198

■ For 200d/2, the available colours are 1000 numbers, excluding all the multiple colours.

■ For NB 120d/2, the available colours are also 1000 numbers, excluding the following exceptions and all the multiple colours.
Exceptional colour: #1943, 1944 and 1986

■ The same colour number is applied to the same colour of all the Pearl Yacht Brand embroidery thread and special thread for the sake of convenience. When ordering, make sure that you refer to the colour card of the ceratain product.

■ Colour Rendering:

Even if the colour number is the same, it may have the properties of appearing in a different impression (color rendering) when viewed with a different light source. When testing colours, we recommend that you use a light source (environment) under the same conditions.

■ Pearl Yacht Brand thread is produced under high quality standards. However, how to use the yarn varies depending on its application, washing, pressing, cleaning, etc. We, therefore, recommend you that test in advance has to be done to confirm that the dyeing fastness of the yarn matches to the standards which you require.

■ If this product is used rewound on a different paper tube, it may cause troubles such as thread breakage.

■ Changes of production environments or legal restrictions may force us to change the new materials or the dyestuffs that have long been used, thereby, making it might be difficult for us to reproduce any conventional colours. When ordering, always consult our latest version of colour card.

Features of dyes used

Vat dye (Indanthrene dye)

Although it is insoluble in water, it becomes water-soluble when reduced in an alkali and is dyed on cellulose fibers (rayon and so on). Oxidation with air after dyeing makes it to return to its original format and becomes insoluble and develops color. Excellent in various fastnesses.

Reactive dye

A dye in which the fiber molecules and the dye molecules react and combine scientifically. The color is bright and the wash fastness is excellent. (● mark, ★ mark and △ mark indicated)

Fluorescent dye

A dye that brightens colors. Please avoid using it for products that will be dyed afterwards. (Used color number: # 1198, 1235, 1241, 1242, 1243, 1328, 1329 and 3918)

Please contact Pearl Yacht Corporation if you have any usage problems or inquiries.

Pearl Yacht Corporation

23-12, Taito 1-Chome, Taito-Ku, Tokyo 110-0016, Japan

International telephone: 81-3-3831-1030

International facsimile: 81-3-3835-1420

Email: int.sales@pearl-yacht.jp

PEARL YACHT®

*Quality and Colour Card
for
Metallic Yarn*



パールヨット 金銀糸

パールコット 金銀系


3分 (3F)
5000m 5色

※100d相当




5分 (5F)
5000m 8色

※140d相当




8分 (8F)
5000m 12色

※190d相当




ジャバラ
5000m 2色

※210d相当



1掛 (1G)
5000m 11色

※240d相当



縫製用ミシン専用
金銀系


1号(Size#1)
3000m 2色

※240d相当




3掛 (3G)
1000m 2色

※480d相当




5掛 (5G)
1000m 2色

※1120d相当




3分×6本 (3F/6)
1000m 2色

※600d相当



8分×6本 (8F/6)
1000m 3色


※1140d相当



縫製用ミシン専用
金銀系

3号(Size#3)
1500m 3色

※480d相当



このページはレーヨン見本帳No.200に付属しております。単品での販売もごさいます。

<英語 接尾語表示>
N =ナイロン芯
NC =ナイロンカラー芯
C =キュブラカラー芯
無字 =キュブラ芯

モニターの設定や照明等により実際の見本帳と色味が異なる場合がございます。色合わせには必ず実物の見本帳をご使用ください。

御案内 パネル コット 印 メタリックヤーンをご使用いただきまして有難うございます。

特徴

パネル コット 印 メタリックヤーンは、純銀蒸着加工しておりますので、次の点にご注意ください。

御利用上の注意

- ① 高温多湿の環境を避けて乾燥した風通しのよい場所に保管してください。
- ② 日光や蛍光灯の当たる場所に長時間の放置はしないでください。
- ③ 黄化合物、成分 (例: ゴム、スポンジ、皮革等、硫黄化合物を含むもの) は変退色の原因となりますので接触はさせないでください。
- ④ 亜硫酸ガス (石油ストーブ)、一酸化窒素 (自動車排気ガス) が発生しやすい場所は避けてください。
- ⑤ 漂白剤は使用しないでください。
- ⑥ シミ抜き (スプレーガン方式) は変色の原因となりますので、ご使用にならないでください。
- ⑦ 揉み洗いや摩擦によってフィルム部分が破損する可能性がありますので、取扱いにご注意ください。
- ⑧ 金銀糸の特性上、肌に直接触れるとチクチクする恐れがございますので、その様なご使用方法はおすすめしておりません。

構成表

商品名	芯糸 素材	総デニール	長さ	芯比率	フィルム 比率	商品名	芯糸 素材	総デニール	長さ	芯比率	フィルム 比率
3分	NY	100	5000m	NY50%	PE50%	BS-2、BG-2	CU	210	5000m	CU71%	PE29%
5分	NY	140	5000m	NY52%	PE48%	3掛	R	480	1000m	R63%	PE37%
	CU			CU54%	PE46%	5掛	R	1120	1000m	R80%	PE20%
8分	NY	190	5000m	NY58%	PE42%	3分×6本	NY	600	1000m	NY50%	PE50%
	CU			CU39%	PE61%	8分×6本	NY	1140	1000m	NY58%	PE42%
1掛	NY	240	5000m	NY45%	PE55%	縫製1号	PE	240	3000m	PE100%	
	CU			CU45%	PE55%	縫製3号	PE	480	1500m	PE100%	

※NY=ナイロン PE=ポリエステル CU=キュブラ R=レーヨン

Care Instructions

Washing :

- Embroidered articles or garments should be washed with a mild detergent in cold water.
- Do not use chlorine bleach.
- Do not wring out or rub the embroidery briskly.
- Never leave embroidered items soaking in water or folded or piled together when wet.
- Do not use stain remover spray which may cause discoloration.
- Embroidery is dry cleanable with petroleum only.

Ironing :

All embroidered items should always be ironed on the reverse side,
at a low-medium temperature setting, and most preferably between two pieces of cloth.

Usage :

It is recommended that thread from the same production lot is used on symmetrical panels that require all identical color combination.

Storage :

- Do not dispose the thread to sunlight or artificial light for extended periods.
- Keep the thread in a well ventilated area, avoiding high temperature and high humidity conditions.
- Never put the thread in direct contact with such materials or goods which contain sulfide as rubber. Keep the thread away from area with airborne contaminations, specially with area with gas stoves which tend to emit sulfur acid gas.